## PALMIER CLASSIC

| <br>MODEL<br>NUMBER | PRODUCT                     | W      | D   | Н   | WEIGHT | VOLUME | LIST<br>PRICE | DESCRIPTION   |
|---------------------|-----------------------------|--------|-----|-----|--------|--------|---------------|---|
| BA-SC-S             | 1 Person Study Carrel Table | 36"    | 24" | 47" |        |        | \$ 8,076      | WORK SURFACE: Tops are constructed of 1 <sup>1</sup> / <sub>4</sub> " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 <sup>1</sup> / <sub>4</sub> " thick x 2 <sup>1</sup> / <sub>4</sub> " wide solid external hardwood knife profile with <sup>1</sup> / <sub>2</sub> " rounded point and shall be mitered and radiused at corners.   |
| BA-SC-D             | 2 Person Study Carrel Table | 36"    | 48" | 47" |        |        | \$ 11,031     | <b>SUPERSTRUCTURE:</b> 18" high Side panels, mid panel, back panels and shelves constructed from <sup>3</sup> / <sub>4</sub> " veneer plywood. Top and front edge of rack and shelves are banded with <sup>1</sup> / <sub>4</sub> " solid hardwood, all edges eased. Fixed shelf 8 <sup>3</sup> / <sub>4</sub> "" deep shall be fitted 14 <sup>1</sup> / <sub>4</sub> " clear above table.  |
| BA-SC-Q             | 4 Person Study Carrel Table | 691/2" | 48" | 47" |        |        | \$ 14,482     | <b>END PANELS:</b> Panel frame construction consists of a $1^1/16^n$ thick 3-ply particleboard core with plain sliced veneer both faces, two $1^1/2^n$ thick $x \ge 5^6$ wide solid hardwood sides, $1^1/2^n$ thick $x \le 3^1/2^n$ top member and a $1^1/2^n$ thick $x \le 5^n$ wide bottom with a $2^1/2^n$ arched center. Center frame will be fitted with one horizontal and two vertical $1^1/2^n$ thick $x \ge 1^n$ wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $7^1/16^n$ thick $x \le 3^4/4^n$ wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased. |
|                     |                             |        |     |     |        |        |               | <b>NOTE:</b> List price shown is available for any of the 6 Bannister panel frame versions.   |



## PALMIER CLASSIC

| MODEL<br>NUMBER                    | PRODUCT                                  | W                   | D                                | Н         | WEIGHT               | VOLUME   | LIST<br>PRICE        | DESCRIPTION  |
|------------------------------------|--|---------------------|----------------------------------|-----------|----------------------|----------|----------------------|--|
|                                    |  |                     |                                  |           |                      |          |                      |  |
|                                    | Single Face Carrel                       |                     |                                  |           |                      |          |                      | WORK SURFACE:  |
| . BA-MC-V1A-36-SS                  | Version 1: Acrylic Style:<br>36" Starter | 38"                 | 303/4"                           | 48"       | 200 Lbs.             | 10 Cu Ft | ć 7 11 <i>4</i>      | Tops are constructed of 1 <sup>1</sup> / <sub>4</sub> " thick 3-ply particleboard core.  |
| BA-MC-V1A-36-SA                    | 36" Adder                                | 36 <sup>1</sup> /2" | 30 <sup>3</sup> /4"              | 48"       | 150 Lbs.             | 7 Cu Ft  | \$ 7,114<br>\$ 5,038 | Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with   |
| BA-MC-V1A-36-SA                    | 48" Starter                              | 50"                 | 30 <sup>3</sup> /4"              | 48"       | 230 Lbs.             | 11 Cu Ft | \$ 7,292             | a backing sheet not less than .020" thick for balanced   |
| BA-MC-V1A-48-SA                    | 48" Adder                                | 48 <sup>1</sup> /2" | 30 /4<br>30 <sup>3</sup> /4"     | 48"       | 180 Lbs.             | 8 Cu Ft  | \$ 5,216             | construction. Front edge shall receive a $1^{1}/4$ " thick x $2^{1}/4$ "   |
| D/ (-101C-V 17 (-10-3/ (           | 10 / tager                               | 10 72               | 30 74                            | 10        | 100 Eb3.             | o cart   | \$ 5,210             | wide solid external hardwood knife profile with 1/2" rounded   |
|                                    | Double Face Carrel                       |                     |                                  |           |                      |          |                      | point. Work surface is 28" deep x 29" high.  |
|                                    | Version 1: Acrylic Style:                |                     |                                  |           |                      |          |                      | h  |
| BA-MC-V1A-36-DS                    | 36" Starter                              | 38"                 | 60"                              | 48"       | 350 Lbs.             | 14 Cu Ft | \$ 10,813            | END PANELS:  |
| BA-MC-V1A-36-DA                    | 36" Adder                                | 361/2"              | 60"                              | 48"       | 240 Lbs.             | 11 Cu Ft | \$ 7,082             | Version 1 - Acrylic Style: Panel frame construction consists of  |
| BA-MC-V1A-48-DS                    | 48" Starter                              | 50"                 | 60"                              | 48"       | 410 Lbs.             | 16 Cu Ft | \$ 11,093            | two $1^{1}/2^{\circ}$ x $2^{5}/8^{\circ}$ wide solid hardwood sides, $1^{1}/2^{\circ}$ thick x $2^{\circ}$   |
| BA-MC-V1A-48-DA                    | 48" Adder                                | 481/2"              | 60"                              | 48"       | 310 Lbs.             | 12 Cu Ft | \$ 7,362             | arched top member and a $1^{1}/z^{2}$ thick x $4^{1}/z^{2}$ wide bottom  |
|                                    |  |                     |                                  |           |                      |          |                      | with an arched end. Center frame will be fitted with two   |
|                                    |  |                     |                                  |           |                      |          |                      | horizontal and two vertical $1^{1}/z^{2}$ thick x 2" wide stile members,   |
|                                    |  |                     |                                  |           |                      |          |                      | creating a rectangle and square motif design. All spaces are   |
|                                    | Single Face Carrel                       |                     |                                  |           |                      |          |                      | then fitted with <sup>3</sup> / <sub>8</sub> " thick frosted acrylic inserts. All edges of   |
| . BA-MC-V1M-36-SS                  | Version 1: Molding Style:<br>36" Starter | 38"                 | 303/4"                           | 48"       | 20016-               | 10 Cu Ft | ¢ 7 51/              | panel frame are eased.   |
| BA-MC-V1M-36-SS<br>BA-MC-V1M-36-SA | 36" Adder                                | 36 <sup>1</sup> /2" | 30 <sup>3</sup> / <sub>4</sub> " | 48<br>48" | 200 Lbs.<br>150 Lbs. | 7 Cu Ft  | \$ 7,516<br>\$ 5,038 | Version 1 - Molding Style: Panel frame construction consists of a 1 <sup>1</sup> / <sub>16</sub> " thick 3-ply particleboard core with plain sliced veneer |
| BA-MC-V1M-48-SS                    | 48" Starter                              | 50"                 | 30 <sup>3</sup> /4"              | 48"       | 230 Lbs.             | 11 Cu Ft | \$ 7,697             | both faces, two $1^{1}/2^{\circ}$ thick x $2^{5}/8^{\circ}$ wide solid hardwood sides.   |
| BA-MC-V1M-48-SA                    | 48" Adder                                | 48 <sup>1</sup> /z" | 30 <sup>-</sup> / <sub>4</sub> " | 48"       | 180 Lbs.             | 8 Cu Ft  | \$ 5,216             | $1^{1}/2$ " thick x 2" arched top member and a $1^{1}/2$ " thick x $4^{1}/2$ "   |
| D/ (-IVIC-V TIVI- 10-5/ (          | 10 / tager                               | 10 72               | 30 74                            | 10        | 100 Eb3.             | o cart   | \$ 5,210             | wide bottom with an arched end. Center frame will be fitted  |
|                                    | Double Face Carrel                       |                     |                                  |           |                      |          |                      | with two horizontal and two vertical 1/2" thick x 2" wide stile  |
|                                    | Version 1: Molding Style:                |                     |                                  |           |                      |          |                      | members, creating a rectangle and square motif design.   |
| BA-MC-V1M-36-DS                    | 36" Starter                              | 38"                 | 60"                              | 48"       | 350 Lbs.             | 14 Cu Ft | \$ 11,730            | All spaces are then miter framed with 7/16" thick x 3/4" wide  |
| BA-MC-V1M-36-DA                    | 36" Adder                                | 361/2"              | 60"                              | 48"       | 240 Lbs.             | 11 Cu Ft | \$ 7,082             | angled solid hardwood trim creating a raised frame effect. All   |
| BA-MC-V1M-48-DS                    | 48" Starter                              | 50"                 | 60"                              | 48"       | 410 Lbs.             | 16 Cu Ft | \$ 12,019            | edges of panel frame and trim are eased.   |
| BA-MC-V1M-48-DA                    | 48" Adder                                | 481/2"              | 60"                              | 48"       | 310 Lbs.             | 12 Cu Ft | \$ 7,362             |  |
|                                    |  |                     | 60"                              | 48"       |                      |          |                      | BACK PANEL:  |
|                                    |  |                     |                                  |           |                      |          |                      | Back is constructed of 1 <sup>1</sup> / <sub>16</sub> " thick 3-ply particleboard core with  |
|                                    |  |                     |                                  |           |                      |          |                      | plain sliced veneer both faces and the top edge is banded  |
|                                    |  |                     |                                  |           |                      |          |                      | with a $1^{1}/16^{\circ}$ thick x $2^{1}/4^{\circ}$ wide solid hardwood.   |

