 MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	Т	VOLUME	LIST PRICE	DESCRIPTION
FL-R36-KN-2SQ FL-R42-KN-2SQ FL-R48-KN-2SQ FL-R54-KN-2SQ FL-R60-KN-2SQ	ROUND Tables, Knife Edge:	36" 42" 48" 54" 60"	36" 42" 48" 54" 60"	29" 29" 29" 29" 29"				\$ 2,744 \$ 3,047 \$ 3,234 \$ 3,848 \$ 4,315	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
FL-3636-KN-2SQ FL-4242-KN-2SQ FL-4848-KN-2SQ FL-5454-KN-2SQ	SQUARE Tables, Knife Edge:	36" 42" 48" 54"	36" 42" 48" 54"	29" 29" 29" 29"				\$ 2,744 \$ 2,915 \$ 3,102 \$ 3,856	Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
FL-3036-KN-2SQ FL-3042-KN-2SQ FL-3048-KN-2SQ FL-3054-KN-2SQ FL-3060-KN-2SQ FL-3642-KN-2SQ FL-3648-KN-2SQ FL-3654-KN-2SQ FL-3660-KN-2SQ FL-36672-KN-2SQ	RECTANGLE Tables, Knife Edge:	36" 42" 48" 54" 60" 72" 42" 48" 54" 60" 72"	30" 30" 30" 30" 30" 36" 36" 36" 36"	29" 29" 29" 29" 29" 29" 29" 29" 29" 29"				\$ 2,628 \$ 2,736 \$ 2,822 \$ 2,899 \$ 2,977 \$ 3,134 \$ 2,829 \$ 2,930 \$ 2,992 \$ 3,077 \$ 3,241	17-3/4" inside clearance for 36" diameter Round Tables 22" inside clearance for 42" diameter Round Tables 26-1/4" inside clearance for 48" diameter Round Tables Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. Electrical and accessory options are available for purchase, see page 168-173 for details.

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FL-6030-KN-2SQ-ST FL-6030-KN-2SQ-AD FL-7230-KN-2SQ-ST FL-7230-KN-2SQ-AD	Adder Starter	60" 60" 72" 72"	30" 30" 30" 30"	29" 29" 29" 29"			\$ 3,077 \$ 2,708 \$ 3,146 \$ 2,769	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
								Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.
FL-6030-KN-2SQ-2P FL-7230-KN-2SQ-2P		120" 144"	30" 30"	29" 29"			\$ 5,788 \$ 5,916	Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
FL-6030-KN-2SQ-3P FL-7230-KN-2SQ-3P		180" 216"	30" 30"	29" 29"			\$ 8,496 \$ 8,684	Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. Electrical and accessory options are available for purchase, see page 168-173 for details.

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FL-6042-KN-2SQ-ST FL-6042-KN-2SQ-AD FL-7242-KN-2SQ-ST FL-7242-KN-2SQ-AD FL-8242-KN-2SQ-AD FL-9642-KN-2SQ-AD FL-9642-KN-2SQ-AD	Adder Starter Adder Starter Adder Starter	60" 60" 72" 72" 82" 82" 96"	42" 42" 42" 42" 42" 42" 42"	29" 29" 29" 29" 29" 29" 29"			\$ 3,234 \$ 2,846 \$ 3,421 \$ 3,011 \$ 3,694 \$ 3,259 \$ 3,980 \$ 3,590	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet. Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.
FL-6042-KN-2SQ-2P FL-7242-KN-2SQ-2P FL-8242-KN-2SQ-2P FL-9642-KN-2SQ-2P	2-Place 2-Place	120" 144" 164" 192"	42" 42" 42" 42"	29" 29" 29" 29"			\$ 6,080 \$ 6,430 \$ 6,953 \$ 7,569	Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
FL-6042-KN-2SQ-3P FL-7242-KN-2SQ-3P FL-8242-KN-2SQ-3P FL-9642-KN-2SQ-3P	3-Place 3-Place	180" 216" 246" 288"	42" 42" 42" 42"	29" 29" 29" 29"			\$ 8,925 \$ 9,440 \$ 10,211 \$ 11,158	Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. Electrical and accessory options are available for purchase, see page 168-173 for details. Three different LED light fixtures are available in a race (round) rail shape and sold separately. See page172 for more details. 3 Rail Length Sizes to choose from: 1) 23¾" 2) 35¾" 3) 47¾" This is an extruded aluminum fixture that have a slim and minimal profile. Ideal for tables, workstations, and carrel desks in corporate, library and educational settings. This lighting option is only applicable to 42" & 48" table depths. Also, this is mounted per table and not continuously when ordering starters & adders.

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FL-6048-KN-2SQ-ST FL-6048-KN-2SQ-AD FL-7248-KN-2SQ-ST FL-7248-KN-2SQ-AD FL-8248-KN-2SQ-ST FL-8248-KN-2SQ-AD FL-9648-KN-2SQ-AD	Adder Starter Adder Starter Adder Starter	60" 60" 72" 72" 82" 82" 96"	48" 48" 48" 48" 48" 48" 48"	29" 29" 29" 29" 29" 29" 29" 29"			\$ 3,396 \$ 2,988 \$ 3,591 \$ 3,160 \$ 3,879 \$ 3,422 \$ 4,179 \$ 3,769	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet. Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.
FL-6048-KN-2SQ-2P FL-7248-KN-2SQ-2P FL-8248-KN-2SQ-2P FL-9648-KN-2SQ-2P	2-Place 2-Place	120" 144" 164" 192"	48" 48" 48" 48"	29" 29" 29" 29"			\$ 6,382 \$ 6,752 \$ 7,299 \$ 7,948	Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
FL-6048-KN-2SQ-3P FL-7248-KN-2SQ-3P FL-8248-KN-2SQ-3P FL-9648-KN-2SQ-3P	3-Place 3-Place	180" 216" 246" 288"	48" 48" 48" 48"	29" 29" 29" 29"			\$ 9,370 \$ 9,911 \$ 10,721 \$ 11,716	Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. Electrical and accessory options are available for purchase, see page 168-173 for details. Three different LED light fixtures are available in a race (round) rail shape and sold separately. See page 172 for more details. 3 Rail Length Sizes to choose from: 1) 23¾ 2) 35¾ 3) 47¾ This is an extruded aluminum fixture that have a slim and minimal profile. Ideal for tables, workstations, and carrel desks in corporate, library and educational settings. This lighting option is only applicable to 42" & 48" table depths. Also, this is mounted per table and not continuously when ordering starters & adders.

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	FL-CS-3630-KN-2SQ FL-CS-3630-KN-2SQ-AD	COMPUTER STATIONS, Knife Edge with Dividers 1-Place Starter Adder	36" 36"	30" 30"	29" 29"			\$ 3,739 \$ 3,438	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
									Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.
									Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.
	7								Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
	FL-CS-3630-KN-2SQ-2P	COMPUTER STATIONS, Knife Edge with Dividers 2-Place	72"	30"	29"			\$ 7,177	
									Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.
									NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.
1 1 1 1 1 1	")								Electrical and accessory options are available for purchase, see page 168-173 for details.
	FL-CS-3630-KN-2SQ-3P	COMPUTER STATIONS, Knife Edge with Dividers 3-Place	108"	30"	29"			\$ 10,617	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FL-CS-D-7230-KN-2SQ FL-CS-D-7230-KN-2SQ-AD	COMPUTER STATIONS, Knife Edge with Dividers 2-Place Starter Adder	72" 72"	30" 30"	29" 29"			\$ 4,812 \$ 4,428	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
								Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. Leveler: Legs are fitted with a threaded base to accept a
FL-CS-D-7230-KN-2SQ-4P	COMPUTER STATIONS, Knife Edge with Dividers 4-Place	144"	30"	29"			\$ 9,240	1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
								Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. NOTE: For all Fluid Workstations the list price includes the
	COMPUTER STATIONS,							Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. Electrical and accessory options are available for purchase, see page 168-173 for details.
FL-CS-D-7230-KN-2SQ-6P	Knife Edge with Dividers 6-Place	216"	30"	29"			\$ 13,668	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	FL-CS-2D-3660-KN-2SQ FL-CS-2D-3660-KN-2SQ-AD	COMPUTER STATIONS, Knife Edge with Dividers 2-Place (Back to Back) Starter Adder	36" 36"	60" 60"	29" 29"			\$ 4,501 \$ 4,142	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
									Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.
									Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
	FL-CS-2D-3660-KN-2SQ-4P	COMPUTER STATIONS, Knife Edge with Dividers 4-Place (Back to Back)	72"	60"	29"			\$ 4,911	
									Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.
									NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.
17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									Electrical and accessory options are available for purchase, see page 168-173 for details.
		COMPUTER STATIONS, Knife Edge with Dividers 6-Place (Back to Back)	108"	60"	29"			\$ 9,053	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		COMPUTER STATIONS, Knife Edge with Dividers							Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
	FL-CS-4D-7260-KN-2SQ FL-CS-4D-7260-KN-2SQ-AD	4-Place (Back to Back) Starter	72" 72"	60" 60"	29" 29"			\$ 5,963 \$ 5,484	
1 1 1 1 1	7								Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.
									Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.
the same of	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
	FL-CS-4D-7260-KN-2SQ-8P	COMPUTER STATIONS, Knife Edge with Dividers 8-Place (Back to Back)	144"	60"	29"			\$ 11,447	
									Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.
									NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.
	1 1 1 1 1	COMPUTER STATIONS,							Electrical and accessory options are available for purchase, see page 168-173 for details.
	FL-CS-4D-7260-KN-2SQ-12F	Knife Edge with Dividers 2 12-Place (Back to Back)	216"	60"	29"			\$ 16,931	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT
FL-4242-KN-2SQ-VL FL-4848-KN-2SQ-VL FL-5454-KN-2SQ-VL	23¾" LED	42" 48" 54"	42" 48" 54"	29" 29" 29"
FL-4248-KN-2SQ-VL FL-4254-KN-2SQ-VL FL-4260-KN-2SQ-VL FL-4272-KN-2SQ-VL	35¾" LED 35¾" LED	48" 54" 60" 72"	42" 42" 42" 42"	29" 29" 29" 29"

FL-4854-KN-2SQ-VL 35¾" LED

FL-4860-KN-2SQ-VL 35¾" LED

FL-4872-KN-2SQ-VL 47¾" LED

WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		Inquire for Quote	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.
			Knife Edge is $2-1/4$ " wide x $1-3/4$ " high solid wood, with a 45 miter chamfer with $1/8$ " radius corners.
			Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.
		Inquire for Quote	Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
		Inquire for Quote	

Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.

Electrical and accessory options are available for purchase, see page 168-173 for details.

Three different LED light fixtures are available in a race (round) rail shape and sold separately. See page 172 for more details. 3 Rail Length Sizes to choose from:

1) 23¾" 2) 35¾"

3) 473/4"

This is an extruded aluminum fixture that have a slim and minimal profile. Ideal for tables, workstations, and carrel desks in corporate, library and educational settings.

29"

29"

29"

60"

72"

48"

48"