


	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	AP-NP	Newspaper Table	39 1/2"	27"	30"	180 Lbs.	21 Cu Ft	\$ 4,215	<p><b>TABLE RACK:</b> Open frame construction consists of 7/8" thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, 1 3/4" thick x 2 1/2" wide solid hardwood framed on four sides and three inset 1/2" thick x 1 3/4" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p>
	AP-AS	Atlas Stand	30 1/2"	29"	44 1/2"	260 Lbs.	30 Cu Ft	\$ 6,281	<p><b>TOP:</b> Sloped top is constructed of 3/4" particleboard core with plastic laminate surfaces and fitted with a wood book rail 5/8" thick x 5/8" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b> Cabinet construction consists of a 3/4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1 3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, 1 3/4" thick x 2 1/2" wide solid hardwood framed on four sides and three inset 1/2" thick x 1 3/4" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p>









MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-DC	Dictionary Stand	27 <sup>1</sup> / <sub>2</sub> "	21	44 <sup>1</sup> / <sub>2</sub> "	180 Lbs.	20 Cu Ft	\$ 4,671	<p><b>TOP:</b> Sloped top is constructed of <sup>3</sup>/<sub>4</sub>" particleboard core with plastic laminate surfaces and fitted with a wood book rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b> Cabinet construction consists of a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back with plain sliced veneer both faces, a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core adjustable shelf and a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core fixed bottom shelf with <sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid wood drop edge.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset <sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p>









MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-DP	Display Table	66"	30 1/2"	39"	245 Lbs.	23 Cu Ft	\$ 10,370	<p><b>DISPLAY CASE CONSTRUCTION:</b> Wood frame is constructed of 1 1/2" thick x 1 1/2" wide solid hardwood with 1/4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.</p> <p><b>TOP:</b> Tops are constructed of 1 1/4" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1 5/8" solid hardwood at two long edges.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, 1 3/4" thick x 2 1/2" wide solid hardwood framed on four sides and three inset 1/2" thick x 1 3/4" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p>
AP-DP-FB	Display Table with Fabric Covered Bottom	66"	30 1/2"	39"	245 Lbs.	23 Cu Ft	\$ 11,403	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	AP-AV	AV Browser	50 <sup>1</sup> / <sub>4</sub> "	23	42 <sup>1</sup> / <sub>2</sub> "	260 Lbs.	36 Cu Ft	\$ 4,820	<p><b>MULTIMEDIA DISPLAY BIN:</b> Bin construction consisting of <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and seven equally divided compartments, each 6<sup>1</sup>/<sub>4</sub>" wide x 19" deep with six removable <sup>1</sup>/<sub>4</sub>" side dividers and will hold approximately 290 compact discs.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset <sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p>

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	AP-MC-36-SS	Single Face Modular Carrels: 36" Starter	38 1/2"	31"	48"	340 Lbs.	11 Cu Ft	\$ 5,138	<p><b>WORK SURFACE:</b> Tops are constructed of 1 1/4" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3/4" thick x 1 5/8" high solid hardwood with edges eased. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, 1 3/4" thick x 2 1/2" wide solid hardwood framed on four sides and three inset 1/2" thick x 1 3/4" wide solid vertical pilasters. All edges of panel frame and pilasters are eased. Single face and pinwheel shall receive three vertical pilasters and double face shall receive five vertical pilasters.</p> <p><b>INTERMEDIATE PANELS:</b> Panels are constructed of 1 3/16" thick 3-ply particleboard core with plain sliced veneer both faces, 1 3/16" thick x 2 1/2" wide solid hardwood framed on four sides with all edges eased.</p> <p><b>BACK PANEL:</b> Back is constructed of 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1 1/16" thick x 2 1/4" wide solid hardwood.</p> <p><b>TOP SHELF:</b> Shelf construction consists of 3/4" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1/4" solid external edge complete with a 3/4" thick x 1 1/2" wide solid hardwood valance rail mounted to the underside. Shelf is 10" deep positioned 15 1/2" above the work surface.</p>
	AP-MC-36-SA	36" Adder	36 1/4"	31"	48"	160 Lbs.	11 Cu Ft	\$ 3,382	
	AP-MC-48-SS	48" Starter	50 1/2"	31"	48"	360 Lbs.	11 Cu Ft	\$ 5,293	
	AP-MC-48-SA	48" Adder	48 1/4"	31"	48"	190 Lbs.	11 Cu Ft	\$ 3,536	
	AP-MC-36-DS	Double Face Modular Carrels: 36" Starter	38 1/2"	60 1/2"	48"	655 Lbs.	22 Cu Ft	\$ 7,175	
	AP-MC-36-DA	36" Adder	36 1/4"	60 1/2"	48"	250 Lbs.	22 Cu Ft	\$ 4,556	
	AP-MC-48-DS	48" Starter	50 1/2"	60 1/2"	48"	710 Lbs.	22 Cu Ft	\$ 7,392	
	AP-MC-48-DA	48" Adder	48 1/4"	60 1/2"	48"	310 Lbs.	22 Cu Ft	\$ 4,781	
	AP-MC-36-PW	36" Pinwheel	74 1/2"	74 1/2"	48"	780 Lbs.	48 Cu Ft	\$ 11,862	
	AP-MC-48-PW	48" Pinwheel	91 1/2"	91 1/2"	48"	800 Lbs.	55 Cu Ft	\$ 12,282	

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION	
	Single Face Reference Carrels:								
	AP-RC-36-SS	36" Starter	38 <sup>1</sup> / <sub>2</sub> "	31"	48"	340 Lbs.	11 Cu Ft	\$ 5,256	<p><b>WORK SURFACE:</b> Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>5</sup>/<sub>8</sub>" high solid hardwood with edges eased. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased. Single face and pinwheel shall receive three vertical pilasters and double face shall receive five vertical pilasters.</p> <p><b>INTERMEDIATE PANELS:</b> Panels are constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides with all edges eased.</p> <p><b>BACK PANEL:</b> Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> <p><b>BOTTOM SHELF:</b> Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge complete with a 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" wide solid hardwood valance rail mounted to the underside. Shelf is 10" deep positioned 21" above the floor.</p>
	AP-RC-36-SA	36" Adder	36 <sup>1</sup> / <sub>4</sub> "	31"	48"	160 Lbs.	11 Cu Ft	\$ 3,374	
	AP-RC-48-SS	48" Starter	50 <sup>1</sup> / <sub>2</sub> "	31"	48"	360 Lbs.	11 Cu Ft	\$ 5,411	
AP-RC-48-SA	48" Adder	48 <sup>1</sup> / <sub>4</sub> "	31"	48"	190 Lbs.	11 Cu Ft	\$ 3,521		
	Double Face Reference Carrels:								
	AP-RC-36-DS	36" Starter	38 <sup>1</sup> / <sub>2</sub> "	60 <sup>1</sup> / <sub>2</sub> "	48"	655 Lbs.	22 Cu Ft	\$ 7,159	
	AP-RC-36-DA	36" Adder	36 <sup>1</sup> / <sub>4</sub> "	60 <sup>1</sup> / <sub>2</sub> "	48"	250 Lbs.	22 Cu Ft	\$ 4,532	
	AP-RC-48-DS	48" Starter	50 <sup>1</sup> / <sub>2</sub> "	60 <sup>1</sup> / <sub>2</sub> "	48"	710 Lbs.	22 Cu Ft	\$ 7,369	
AP-RC-48-DA	48" Adder	48 <sup>1</sup> / <sub>4</sub> "	60 <sup>1</sup> / <sub>2</sub> "	48"	310 Lbs.	22 Cu Ft	\$ 4,758		
	AP-RC-36-PW	36" Pinwheel	74 <sup>1</sup> / <sub>2</sub> "	74 <sup>1</sup> / <sub>2</sub> "	48"	780 Lbs.	48 Cu Ft	\$ 11,831	
	AP-RC-48-PW	48" Pinwheel	91 <sup>1</sup> / <sub>2</sub> "	91 <sup>1</sup> / <sub>2</sub> "	48"	800 Lbs.	55 Cu Ft	\$ 11,986	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	AP-PAC-1-PB-29	1 Person PAC Table: Sitting Height	37 <sup>1</sup> / <sub>2</sub> "	36"	37"	130 Lbs.	13 Cu Ft	\$ 4,718	<p><b>WORK SURFACE:</b> Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>5</sup>/<sub>8</sub>" solid hardwood at two long edges.</p> <p><b>DIVIDER RACK:</b> Divider rack construction consists of 3<sup>3</sup>/<sub>4</sub>" thick x 7" deep x 8" high solid hardwood side dividers and 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back dividers with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b> Each seating position will be equipped with a 3" diameter black plastic grommet and a black painted metal back mount j-channel wire manager.</p>
	AP-PAC-1-PB-32	Wheelchair Accessible	37 <sup>1</sup> / <sub>2</sub> "	36"	40"	130 Lbs.	16 Cu Ft	\$ 4,851	
	AP-PAC-1-PB-39	Standing Height	37 <sup>1</sup> / <sub>2</sub> "	36"	47"	135 Lbs.	23 Cu Ft	\$ 5,130	
	AP-PAC-2-PB-29	2 Person PAC Table: Sitting Height	73 <sup>1</sup> / <sub>2</sub> "	36"	37"	200 Lbs.	27 Cu Ft	\$ 5,535	
	AP-PAC-2-PB-32	Wheelchair Accessible	73 <sup>1</sup> / <sub>2</sub> "	36"	40"	200 Lbs.	33 Cu Ft	\$ 5,675	
	AP-PAC-2-PB-39	Standing Height	73 <sup>1</sup> / <sub>2</sub> "	36"	47"	205 Lbs.	46 Cu Ft	\$ 5,924	
	AP-PAC-3-PB-29	3 Person PAC Table: Sitting Height	91 <sup>1</sup> / <sub>2</sub> "	36"	37"	250 Lbs.	34 Cu Ft	\$ 6,087	
	AP-PAC-3-PB-32	Wheelchair Accessible	91 <sup>1</sup> / <sub>2</sub> "	36"	40"	250 Lbs.	41 Cu Ft	\$ 6,211	
	AP-PAC-3-PB-39	Standing Height	91 <sup>1</sup> / <sub>2</sub> "	36"	47"	260 Lbs.	58 Cu Ft	\$ 6,474	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	AP-R42	Round Table	42"	42"	29"	90 Lbs.	8 Cu Ft	\$ 2,815	<p><b>WORK SURFACE:</b> Tops are constructed of 1 1/4" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 1/4" wide x 1 1/4" thick solid hardwood external edge and the two ends will be banded with 2 5/8" wide x 1 1/4" thick solid hardwood external edge. Circular tables will be banded with a 1/4" wide x 1 1/4" thick solid hardwood external edge. Square tables will be banded on all 4 sides with 2 5/8" wide x 1 1/4" thick solid hardwood external edges. All edges are eased.</p> <p><b>END FRAME:</b> End frame construction consists of two 2 3/8" x 2 3/8" glued-up solid stock legs, two 1 1/4" thick x 2 1/2" wide solid hardwood horizontal rail members and five 3/4" thick x 1 7/8" wide solid vertical pilasters. All edges of end frame and pilasters are eased.</p> <p><b>APRON:</b> Apron rail is constructed of 1 1/4" thick x 2 1/2" wide solid hardwood and fitted between the legs on either side of the end frame assembly. Apron rails for circular and square tables are 3/4" thick x 3 3/8" wide solid hardwood and mechanically fasted between legs.</p> <p><b>WORK SURFACE HEIGHT:</b> Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p>
	AP-R48		48"	48"	29"	100 Lbs.	10 Cu Ft	\$ 2,953	
	AP-4242	Square Table	42"	42"	29"	90 Lbs.	8 Cu Ft	\$ 3,568	
	AP-4848		48"	48"	29"	100 Lbs.	10 Cu Ft	\$ 3,810	
	AP-6036	60" Wide Rectangular Table	60"	36"	29"			\$ 4,718	
	AP-6048		60"	48"	29"			\$ 5,061	
	AP-7236	72" Wide Rectangular Table	72"	36"	29"			\$ 4,936	
	AP-7248		72"	48"	29"			\$ 5,293	
	AP-8436	84" Wide Rectangular Table	84"	36"	29"			\$ 5,146	
	AP-8448		84"	48"	29"			\$ 5,527	
AP-9636	96" Wide Rectangular Table	96"	36"	29"			\$ 5,372		
AP-9648		96"	48"	29"			\$ 5,752		