




















	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	BA-SC-S	1 Person Study Carrel Table	36"	24"	47"			\$ 8,076	<p><b>WORK SURFACE:</b> Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b> 18" high Side panels, mid panel, back panels and shelves constructed from 3/4" veneer plywood. Top and front edge of rack and shelves are banded with 1/4" solid hardwood, all edges eased. Fixed shelf 8 3/4" deep shall be fitted 14 1/4" clear above table.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>NOTE:</b> List price shown is available for any of the 6 Bannister panel frame versions.</p>
	BA-SC-D	2 Person Study Carrel Table	36"	48"	47"			\$ 11,031	
	BA-SC-O	4 Person Study Carrel Table	69 1/2"	48"	47"			\$ 14,482	

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE
	Single Face Carrel Version 1: Acrylic Style: 36" Starter	38"	30 <sup>3</sup> / <sub>4</sub> "	48"	200 Lbs.	10 Cu Ft	\$ 7,114
	36" Adder	36 <sup>1</sup> / <sub>2</sub> "	30 <sup>3</sup> / <sub>4</sub> "	48"	150 Lbs.	7 Cu Ft	\$ 5,038
	48" Starter	50"	30 <sup>3</sup> / <sub>4</sub> "	48"	230 Lbs.	11 Cu Ft	\$ 7,292
	48" Adder	48 <sup>1</sup> / <sub>2</sub> "	30 <sup>3</sup> / <sub>4</sub> "	48"	180 Lbs.	8 Cu Ft	\$ 5,216
	Double Face Carrel Version 1: Acrylic Style: 36" Starter	38"	60"	48"	350 Lbs.	14 Cu Ft	\$ 10,813
	36" Adder	36 <sup>1</sup> / <sub>2</sub> "	60"	48"	240 Lbs.	11 Cu Ft	\$ 7,082
	48" Starter	50"	60"	48"	410 Lbs.	16 Cu Ft	\$ 11,093
	48" Adder	48 <sup>1</sup> / <sub>2</sub> "	60"	48"	310 Lbs.	12 Cu Ft	\$ 7,362
	Single Face Carrel Version 1: Molding Style: 36" Starter	38"	30 <sup>3</sup> / <sub>4</sub> "	48"	200 Lbs.	10 Cu Ft	\$ 7,516
	36" Adder	36 <sup>1</sup> / <sub>2</sub> "	30 <sup>3</sup> / <sub>4</sub> "	48"	150 Lbs.	7 Cu Ft	\$ 5,038
	48" Starter	50"	30 <sup>3</sup> / <sub>4</sub> "	48"	230 Lbs.	11 Cu Ft	\$ 7,697
	48" Adder	48 <sup>1</sup> / <sub>2</sub> "	30 <sup>3</sup> / <sub>4</sub> "	48"	180 Lbs.	8 Cu Ft	\$ 5,216
	Double Face Carrel Version 1: Molding Style: 36" Starter	38"	60"	48"	350 Lbs.	14 Cu Ft	\$ 11,730
	36" Adder	36 <sup>1</sup> / <sub>2</sub> "	60"	48"	240 Lbs.	11 Cu Ft	\$ 7,082
	48" Starter	50"	60"	48"	410 Lbs.	16 Cu Ft	\$ 12,019
	48" Adder	48 <sup>1</sup> / <sub>2</sub> "	60"	48"	310 Lbs.	12 Cu Ft	\$ 7,362

**WORK SURFACE:**

Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point. Work surface is 28" deep x 29" high.

**END PANELS:**

Version 1 - Acrylic Style: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.

Version 1 - Molding Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design.

All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

**BACK PANEL:**

Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.