BANNISTER - DISPLAYS

 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-NP	Newspaper Table	39"	27"	30"	180 Lbs.	30 Cu Ft	\$ 4,812	TABLE RACK: Open frame construction consists of 7/8" thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.
								APRON RAIL: Two ${}^{3}/{}^{*}$ thick x 2" high solid hardwood rail shall be fitted between the panels on either side.
								END PANELS: Panel frame construction consists of a $1^{1}/_{16}$ " thick 3-ply particleboard core with plain sliced veneer both faces, two $1^{1}/_{2}$ " thick x $2^{5}/_{8}$ " wide solid hardwood sides, $1^{1}/_{2}$ " thick x $3^{1}/_{2}$ " top member and a $1^{1}/_{2}$ " thick x 5" wide bottom with a $2^{1}/_{2}$ " arched center. Center frame will be fitted with one horizontal and two vertical $1/_{2}$ " thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $7/_{16}$ " thick x $3^{1}/_{4}$ " wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.



BANNISTER - DISPLAYS

with an arched end. Center frame will be fitted with three horizontal and two vertical $1/2^{*}$ thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $7/1^{\circ}$ thick x $3/4^{\circ}$ wide angled solid hardwood trim creating a raised frame effect. All edges of

NOTE: List price shown is available for any of the 6 Bannister

panel frame and trim are eased.

panel frame versions.

 MODEL NUMBER	PRODUCT	Ŵ	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-AS	Atlas Stand	30"	29"	45"	260 Lbs.	32 Cu Ft	\$ 6,670	TOP: Sloped top is constructed from 1 ¹ /4" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a ³ /4" thick x 1 ³ /4" high book support lip.
								CONSTRUCTION ASSEMBLY Cabinet construction consists of a ³ /4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1-3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.
								END PANELS: Panel frame construction consists of a $1^{1}/_{16}$ " thick 3-ply particleboard core with plain sliced veneer both faces, two $1^{1}/_{2}$ " thick x $2^{5}/_{8}$ " wide solid hardwood sides, $1^{1}/_{2}$ " thick x 2" arched top member and a $1^{1}/_{2}$ " thick x $4^{1}/_{2}$ " wide bottom

BANNISTER - DISPLAYS

 MODEL NUMBER	PRODUCT	Ŵ	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-DC	Dictionary Stand	27"	22"	45"	180 Lbs.	15 Cu Ft	\$ 4,758	TOP: Sloped top is constructed from 1 ¹ /4" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a ³ /4" thick x 1 ³ /4" high book support lip.
								CONSTRUCTION ASSEMBLY Cabinet construction consists of a ³ /4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1-3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.
								END PANELS: Panel frame construction consists of a $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces, two $1^{1}/2^{\circ}$ thick x $2^{5}/e^{\circ}$ wide solid hardwood sides, $1^{1}/2^{\circ}$ thick x 2^{2} arched top member and a $1^{1}/2^{\circ}$ thick $4^{1}/2^{\circ}$ wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical $1^{1}/2^{\circ}$ thick x 2° wide stile members, creating a rectangle and square motif design. All spaces are then mitter framed with $7/16^{\circ}$ thick x $3^{1}/4^{\circ}$ wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.
								NOTE: List price shown is available for any of the 6 Bannister panel frame versions.

BANNISTER - DISPLAYS



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-DP	Display Table	66 ¹ /2"	34 ¹ /2"	39"	245 Lbs.	20 Cu Ft	\$ 12,826	DISPLAY CASE CONSTRUCTION: Wood frame is constructed of $1^{1}/2^{"}$ thick x $1^{1}/2^{"}$ wide solid hardwood with $1/4^{"}$ thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30"
BA-DP-FB	Display Table with Fabric Bottom	66 ¹ /2"	34 ¹ /2"	39"	170 Lbs.	20 Cu Ft	\$ 13,860	deep x 62" wide x 10" high. WORK SURFACE:

Tops are constructed of 1¹/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1¹/4" thick x 2¹/4" wide solid external hardwood knife profile with ¹/2" rounded point and shall be mitered and radiused at corners.

END PANELS:

Panel frame construction consists of a 1¹/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1¹/2" thick x 2⁵/8" wide solid hardwood sides, 1¹/2" thick x 3¹/2" top member and a 1¹/2" thick x 5" wide bottom with a 2¹/2" arched center. Center frame will be fitted with one horizontal and two vertical ¹/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with ⁷/16" thick x ³/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.

