

	MODEL							LIST	
	NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	PRICE	DESCRIPTION
		1 Person PAC Tables:							WORK SURFACE:
									Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
	EL-PAC-1-29-W	Sitting Height, Wood Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 4,493	Top surface is laminated with a .050" thick high pressure
	EL-PAC-1-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 4,727	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
	EL-PAC-1-32-W	Wheelchair Height, Wood Divide	r 36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 4,563	construction. Surrounding edges will be banded with a $^{1}/_{2}$ "
•	EL-PAC-1-32-A	Wheelchair Height, Acrylic Divide		36"	40"	65 Lbs.	10 Cu Ft	\$ 4,797	thick x 1 <sup>1</sup> / <sub>2</sub> " solid hardwood external edge. All edges are eased.
	EL-PAC-1-39-W	Standing Height, Wood Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 4,609	edsed.
	EL-PAC-1-39-A	Standing Height, Acrylic Divider		36"	47"	67 Lbs.	10 Cu Ft	\$ 4,851	TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
		2 Person (1 Place Back to Back) PAC Tables:							<b>LEG ASSEMBLY:</b> Legs are $2^3/8$ " x $2^3/8$ " glued up solid stock. The two inside edges are tapered down to $1^1/2$ " x $1^1/2$ ". The leg is attached to a 5" x 5" x $1^1/4$ " thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg.
	EL-PAC-1D-29-W	Sitting Height, Wood Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 4,671	Two steel decorative angle bars are attached to the upper
	EL-PAC-1D-29-A	Sitting Height, Acrylic Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 4,968	outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top
	EL-PAC-1D-32-W	Wheelchair Height, Wood Divide	r 36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 4,741	by means of threaded inserts embedded in the underside of
	EL-PAC-1D-32-A	Wheelchair Height, Acrylic Divide		48"	40"	65 Lbs.	10 Cu Ft	\$ 5,038	the top. Inserts are capable of receiving machine bolts.
	EL-PAC-1D-39-W	Standing Height, Wood Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 4,867	WOOD DIVIDERS:
	EL-PAC-1D-39-A	Standing Height, Acrylic Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 5,162	Sloped side dividers constructed of $^3/_4$ " thick x 8" high solid hardwood and back divider constructed of $^3/_4$ " x $7^3/_4$ " high veneer particleboard, top edge banded with $^1/_4$ " external hardwood.
									ACRYLIC DIVIDERS:  Sloped side panels and rectangular back divider consisting of <sup>1</sup> / <sub>4</sub> " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
									WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.



**ELECTRICAL ACCESSORIES:** 

Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables:							WORK SURFACE:
								Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
EL-PAC-2-29-W		72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 5,014	Top surface is laminated with a .050" thick high pressure
EL-PAC-2-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 5,752	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-2-32-W	Wheelchair Height, Wood Divider	72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 5,085	construction. Surrounding edges will be banded with a 1/2"
EL-PAC-2-32-A	Wheelchair Height, Acrylic Divider	72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 5,821	thick x $1^{1}/2^{\circ}$ solid hardwood external edge. All edges are eased.
EL-PAC-2-39-W	Standing Height, Wood Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 5,247	
EL-PAC-2-39-A	Standing Height, Acrylic Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 5,986	TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
7	4 Person (2 Place Back to Back) PAC Tables:							<b>LEG ASSEMBLY:</b> Legs are $2^3/8^{\circ}$ x $2^3/8^{\circ}$ glued up solid stock. The two inside edges are tapered down to $1^1/2^{\circ}$ x $1^1/2^{\circ}$ . The leg is attached to a 5" x 5" x $1^1/4^{\circ}$ thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg.
EL-PAC-2D-29-W	Sitting Height, Wood Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 5,644	Two steel decorative angle bars are attached to the upper
EL-PAC-2D-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 6,234	outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top
EL-PAC-2D-32-W	Wheelchair Height, Wood Divider	72"	48"	40"	100 Lbs.	21 Cu Ft	\$ 5,714	by means of threaded inserts embedded in the underside of
EL-PAC-2D-32-A	Wheelchair Height, Acrylic Divider	72"	48"	40"	100 Lbs.	21 Cu Ft	\$ 6,304	the top. Inserts are capable of receiving machine bolts.
EL-PAC-2D-39-W	Standing Height, Wood Divider		48"	47"	100 Lbs.	21 Cu Ft	\$ 5,831	WOOD DIVIDERS:
EL-PAC-2D-39-A	Standing Height, Acrylic Divider	72	48"	47"	100 Lbs.	21 Cu Ft	\$ 6,422	Sloped side dividers constructed of <sup>3</sup> / <sub>4</sub> " thick x 8" high solid hardwood and back divider constructed of <sup>3</sup> / <sub>4</sub> " x 7 <sup>3</sup> / <sub>4</sub> " high veneer particleboard, top edge banded with <sup>1</sup> / <sub>4</sub> " external hardwood.
								ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of <sup>1</sup> / <sub>4</sub> " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES:



Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
ı	3 Person PAC Tables:							<b>WORK SURFACE:</b> Tops are constructed of 1 <sup>1</sup> / <sub>4</sub> " thick 3-ply particleboard core.
EL-PAC-3-29-W	5 5 .	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 5,293	Top surface is laminated with a .050" thick high pressure
EL-PAC-3-29-A	Sitting Height, Acrylic Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 6,568	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-3-32-W	Wheelchair Height, Wood Divider		36"	40"	110 Lbs.	26 Cu Ft	\$ 5,364	construction. Surrounding edges will be banded with a 1/2"
EL-PAC-3-32-A	Wheelchair Height, Acrylic Divider	r 90"	36"	40"	110 Lbs.	26 Cu Ft	\$ 6,639	thick x $1^{1}/2^{\circ}$ solid hardwood external edge. All edges are eased.
EL-PAC-3-39-W		90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 5,635	
EL-PAC-3-39-A	Standing Height, Acrylic Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 6,903	<b>TABLE TOP SUPPORTS:</b> All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
	6 Person (3 Place Back to Back) PAC Tables:							<b>LEG ASSEMBLY:</b> Legs are $2^3/8$ " x $2^3/8$ " glued up solid stock. The two inside edges are tapered down to $1^1/2$ " x $1^1/2$ ". The leg is attached to a 5" x 5" x $1^1/4$ " thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leq.
EL-PAC-3D-29-W	Sitting Height, Wood Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 6,033	Two steel decorative angle bars are attached to the upper
EL-PAC-3D-29-A		90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 7,168	outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top
EL-PAC-3D-32-W	Wheelchair Height, Wood Divider	90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 6,102	by means of threaded inserts embedded in the underside of
EL-PAC-3D-32-A	Wheelchair Height, Acrylic Divider	r 90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 7,238	the top. Inserts are capable of receiving machine bolts.
EL-PAC-3D-39-W	Standing Height, Wood Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 6,328	WOOD DIVIDERS:
EL-PAC-3D-39-A	5 5	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 7,462	Sloped side dividers constructed of $^{3}/_{4}$ " thick x 8" high solid hardwood and back divider constructed of $^{3}/_{4}$ " x $7^{3}/_{4}$ " high veneer particleboard, top edge banded with $^{1}/_{4}$ " external hardwood.
								ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of <sup>1</sup> / <sub>4</sub> " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.



**ELECTRICAL ACCESSORIES:** 

Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	1 Person PAC Tables, Panel Base:							<b>WORK SURFACE:</b> Tops are constructed of 1 <sup>1</sup> / <sub>4</sub> " thick 3-ply particleboard core.
EL-PAC-1-PB-29-W	Sitting Height, Wood Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,444	Top surface is laminated with a .050" thick high pressure
EL-PAC-1-PB-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,903	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-1-PB-32-W	Wheelchair Height, Wood Divide	er 36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 3,458	construction. Front work surface edge is 1/4" thick x 11/4" high
EL-PAC-1-PB-32-A	Wheelchair Height, Acrylic Divide		36"	40"	65 Lbs.	10 Cu Ft	\$ 3,918	solid external hardwood with edges eased.
EL-PAC-1-PB-39-W	Standing Height, Wood Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 3,514	TABLE TOP SUPPORTS:
EL-PAC-1-PB-39-A	Standing Height, Acrylic Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 3,973	All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.
	2 Person (1 Place Back to Back) PAC Tables, Panel Base:							END PANELS:  Panel frame construction consists of a 1 <sup>3</sup> / <sub>16</sub> " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a <sup>1</sup> / <sub>4</sub> " thick solid hardwood. Panels are fitted with two <sup>1</sup> / <sub>2</sub> " wide horizontal decorative metal bars spaced 5" apart. All edges of panel
EL-PAC-1D-PB-29-V	W Sitting Height, Wood Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 3,980	frame are eased.
EL-PAC-1D-PB-29-A	5 5	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 4,493	
	3 3 3							WOOD DIVIDERS:
EL-PAC-1D-PB-32-V	W Wheelchair Height, Wood Divide	er 36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 4,004	Sloped side dividers constructed of 3/4" thick x 8" high solid
EL-PAC-1 D-PB-32-A	Wheelchair Height, Acrylic Divide	er 36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 4,516	hardwood and back divider constructed of <sup>3</sup> /4" x 7 <sup>3</sup> /4" high veneer particleboard, top edge banded with <sup>1</sup> /4" external
EL-PAC-1D-PB-39-V	W Standing Height, Wood Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 4,042	hardwood.
EL-PAC-1D-PB-39-A	Standing Height, Acrylic Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 4,563	
								ACRYLIC DIVIDERS:  Sloped side panels and rectangular back divider consisting of <sup>1</sup> /4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic



grommet and a black metal j-channel for wire management.

MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables, Panel Base:							WORK SURFACE:
								Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
EL-PAC-2-PB-29-W	Sitting Height, Wood Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 3,770	Top surface is laminated with a .050" thick high pressure
EL-PAC-2-PB-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 4,727	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-2-PB-32-W	Wheelchair Height, Wood Divide	er 72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 3,786	construction. Front work surface edge is $^{1}/_{4}$ " thick x $1^{1}/_{4}$ " high
EL-PAC-2-PB-32-A	Wheelchair Height, Acrylic Divide	er 72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 4,741	solid external hardwood with edges eased.
EL-PAC-2-PB-39-W	Standing Height, Wood Divider		36"	47"	100 Lbs.	21 Cu Ft	\$ 3,832	TABLE TOP SUPPORTS:
EL-PAC-2-PB-39-A	Standing Height, Acrylic Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 4,797	All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.
	4 Person (2 Place Back to Back) PAC Tables, Panel Base:							END PANELS: Panel frame construction consists of a 1 <sup>3</sup> / <sub>16</sub> " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a <sup>1</sup> / <sub>4</sub> " thick solid hardwood. Panels are fitted with two <sup>1</sup> / <sub>2</sub> " wide horizontal
								decorative metal bars spaced 5" apart. All edges of panel
EL-PAC-2D-PB-29-W		72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 4,416	frame are eased.
EL-PAC-2D-PB-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 5,480	
								WOOD DIVIDERS:
	Wheelchair Height, Wood Divide		48"	40"	100 Lbs.	21 Cu Ft	\$ 4,439	Sloped side dividers constructed of <sup>3</sup> / <sub>4</sub> " thick x 8" high solid
EL-PAC-2D-PB-32-A	Wheelchair Height, Acrylic Divide	er / 2"	48"	40"	100 Lbs.	21 Cu Ft	\$ 5,504	hardwood and back divider constructed of <sup>3</sup> /4" x 7 <sup>3</sup> /4" high veneer particleboard, top edge banded with <sup>1</sup> /4" external
EL-PAC-2D-PB-39-W	V Standing Height, Wood Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 4,485	hardwood.
EL-PAC-2D-PB-39-A	Standing Height, Acrylic Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 5,543	
								ACRYLIC DIVIDERS:  Sloped side panels and rectangular back divider consisting of <sup>1</sup> /4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								<b>ELECTRICAL ACCESSORIES:</b> Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	3 Person PAC Tables, Panel Base:							WORK SURFACE:
								Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
EL-PAC-3-PB-29-W	Sitting Height, Wood Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 4,011	Top surface is laminated with a .050" thick high pressure
EL-PAC-3-PB-29-A	Sitting Height, Acrylic Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 5,504	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-3-PB-32-W	Wheelchair Height, Wood Divide	er 90"	36"	40"	110 Lbs.	26 Cu Ft	\$ 4,018	construction. Front work surface edge is 1/4" thick x 11/4" high
EL-PAC-3-PB-32-A	Wheelchair Height, Acrylic Divid		36"	40"	110 Lbs.	26 Cu Ft	\$ 5,511	solid external hardwood with edges eased.
EL-PAC-3-PB-39-W	Standing Height, Wood Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 4,073	TABLE TOP SUPPORTS:
EL-PAC-3-PB-39-A	Standing Height, Acrylic Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 5,565	All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.
	6 Person (3 Place Back to Back) PAC Tables, Panel Base:							END PANELS:  Panel frame construction consists of a 1 <sup>3</sup> / <sub>16</sub> " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a <sup>1</sup> / <sub>4</sub> " thick solid hardwood. Panels are fitted with two <sup>1</sup> / <sub>2</sub> " wide horizontal decorative metal bars spaced 5" apart. All edges of panel
EL-PAC-3D-PB-29-V	V Sitting Height, Wood Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 5,014	frame are eased.
EL-PAC-3D-PB-29-A	5 5 .	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 6,592	
	3 3 3							WOOD DIVIDERS:
EL-PAC-3D-PB-32-V	Wheelchair Height, Wood Divide	er 90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 5,038	Sloped side dividers constructed of 3/4" thick x 8" high solid
EL-PAC-3D-PB-32-A	Wheelchair Height, Acrylic Divid	er 90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 6,616	hardwood and back divider constructed of <sup>3</sup> /4" x 7 <sup>3</sup> /4" high veneer particleboard, top edge banded with <sup>1</sup> /4" external
EL-PAC-3D-PB-39-V	V Standing Height, Wood Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 5,085	hardwood.
	Standing Height, Acrylic Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 6,655	
	3 3 7							ACRYLIC DIVIDERS:
								Sloped side panels and rectangular back divider consisting of $^{1}$ /4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								<b>ELECTRICAL ACCESSORIES:</b> Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
EL-R36 EL-R42 EL-R48 EL-R60	Round Reading Tables	36" 42" 48" 60"	36" 42" 48" 60"	29" 29" 29" 29"	90 Lbs. 90 Lbs. 100 Lbs. 155 Lbs.	8 Cu Ft 8 Cu Ft 10 Cu Ft 10 Cu Ft	\$ 3,568 \$ 3,670 \$ 3,770 \$ 4,339	<b>WORK SURFACE:</b> Tops are constructed of 1 <sup>1</sup> / <sub>4</sub> " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a <sup>1</sup> / <sub>2</sub> " thick x 1 <sup>1</sup> / <sub>2</sub> " solid hardwood external edge. All edges are eased.
EL-4242 EL-4848	Square ReadingTables	42" 48"	42" 48"	29" 29"	170 Lbs. 230 Lbs.	8 Cu Ft 10 Cu Ft	\$ 3,593 \$ 3,686	TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
EL-6036 EL-6048 EL-7236	60" Wide Rectangle Reading Tables 72" Wide Rectangle	60" 60" 72"	36" 48" 36"	29" 29" 29"	200 Lbs. 270 Lbs. 230 Lbs.	10 Cu Ft 13 Cu Ft 12 Cu Ft	\$ 3,817 \$ 4,042 \$ 3,918	LEG ASSEMBLY: Legs are 2 <sup>3</sup> /8" x 2 <sup>3</sup> /8" glued up solid stock. The two inside edges are tapered down to 1 <sup>1</sup> /2" x 1 <sup>1</sup> /2". The leg is attached to a 5" x 5" x <sup>1</sup> /4" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.
EL-8436 EL-8448	Reading Tables  84" Wide Rectangle Reading Tables	72" 84" 84"	48" 36" 48"	29" 29" 29"	290 Lbs. 290 Lbs. 290 Lbs.	15 Cu Ft 13 Cu Ft 18 Cu Ft	\$ 4,158 \$ 4,018 \$ 4,283	WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
EL-9636 EL-9648	96" Wide Rectangle Reading Tables	96" 96"	36" 48"	29" 29"	290 Lbs. 340 Lbs.	15 Cu Ft 20 Cu Ft	\$ 4,111 \$ 4,400	

