










MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	1 Person PAC Tables:							<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1 1/4" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p>FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> <p>WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p>ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p>WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p>ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p>
FS-PAC-1-29-W	Sitting Height, Wood Divider	36"	36"	37"	100 Lbs.	10 Cu Ft	\$ 4,485	
FS-PAC-1-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	100 Lbs.	10 Cu Ft	\$ 4,727	
FS-PAC-1-32-W	Wheelchair Height, Wood Divider	36"	36"	40"	100 Lbs.	10 Cu Ft	\$ 4,563	
FS-PAC-1-32-A	Wheelchair Height, Acrylic Divider	36"	36"	40"	100 Lbs.	10 Cu Ft	\$ 4,797	
FS-PAC-1-39-W	Standing Height, Wood Divider	36"	36"	47"	100 Lbs.	10 Cu Ft	\$ 4,633	
FS-PAC-1-39-A	Standing Height, Acrylic Divider	36"	36"	47"	100 Lbs.	10 Cu Ft	\$ 4,867	
	2 Person (1 Place Back to Back) PAC Tables:							
FS-PAC-1D-29-W	Sitting Height, Wood Divider	36"	48"	37"	100 Lbs.	10 Cu Ft	\$ 4,741	
FS-PAC-1D-29-A	Sitting Height, Acrylic Divider	36"	48"	37"	100 Lbs.	10 Cu Ft	\$ 5,038	
FS-PAC-1D-32-W	Wheelchair Height, Wood Divider	36"	48"	40"	100 Lbs.	10 Cu Ft	\$ 4,812	
FS-PAC-1D-32-A	Wheelchair Height, Acrylic Divider	36"	48"	40"	100 Lbs.	10 Cu Ft	\$ 5,106	
FS-PAC-1D-39-W	Standing Height, Wood Divider	36"	48"	47"	100 Lbs.	10 Cu Ft	\$ 4,882	
FS-PAC-1D-39-A	Standing Height, Acrylic Divider	36"	48"	47"	100 Lbs.	10 Cu Ft	\$ 5,177	

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables:							<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1 1/4" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p>FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> <p>WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p>ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p>WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p>ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p>
FS-PAC-2-29-W	Sitting Height, Wood Divider	72"	36"	37"	150 Lbs.	21 Cu Ft	\$ 5,270	
FS-PAC-2-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	150 Lbs.	21 Cu Ft	\$ 6,009	
FS-PAC-2-32-W	Wheelchair Height, Wood Divider 72"	72"	36"	40"	150 Lbs.	21 Cu Ft	\$ 5,341	
FS-PAC-2-32-A	Wheelchair Height, Acrylic Divider 72"	72"	36"	40"	150 Lbs.	21 Cu Ft	\$ 6,080	
FS-PAC-2-39-W	Standing Height, Wood Divider	72"	36"	47"	150 Lbs.	21 Cu Ft	\$ 5,411	
FS-PAC-2-39-A	Standing Height, Acrylic Divider	72"	36"	47"	150 Lbs.	21 Cu Ft	\$ 6,149	
	4 Person (2 Place Back to Back) PAC Tables:							
FS-PAC-2D-29-W	Sitting Height, Wood Divider	72"	48"	37"	150 Lbs.	21 Cu Ft	\$ 5,752	
FS-PAC-2D-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	150 Lbs.	21 Cu Ft	\$ 6,453	
FS-PAC-2D-32-W	Wheelchair Height, Wood Divider 72"	72"	48"	40"	150 Lbs.	21 Cu Ft	\$ 5,821	
FS-PAC-2D-32-A	Wheelchair Height, Acrylic Divider 72"	72"	48"	40"	150 Lbs.	21 Cu Ft	\$ 6,522	
FS-PAC-2D-39-W	Standing Height, Wood Divider	72"	48"	47"	150 Lbs.	21 Cu Ft	\$ 5,893	
FS-PAC-2D-39-A	Standing Height, Acrylic Divider	72"	48"	47"	150 Lbs.	21 Cu Ft	\$ 6,592	

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION	
									
3 Person PAC Tables:									
FS-PAC-3-29-W	Sitting Height, Wood Divider	90"	36"	37"	185 Lbs.	26 Cu Ft	\$ 5,745	<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1 1/4" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p>FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> <p>WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p>ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p>WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p>ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p>	
FS-PAC-3-29-A	Sitting Height, Acrylic Divider	90"	36"	37"	185 Lbs.	26 Cu Ft	\$ 7,012		
FS-PAC-3-32-W	Wheelchair Height, Wood Divider	90"	36"	40"	185 Lbs.	26 Cu Ft	\$ 5,814		
FS-PAC-3-32-A	Wheelchair Height, Acrylic Divider	90"	36"	40"	185 Lbs.	26 Cu Ft	\$ 7,082		
FS-PAC-3-39-W	Standing Height, Wood Divider	90"	36"	47"	185 Lbs.	26 Cu Ft	\$ 5,885		
FS-PAC-3-39-A	Standing Height, Acrylic Divider	90"	36"	47"	185 Lbs.	26 Cu Ft	\$ 7,152		
									
6 Person (3 Place Back to Back) PAC Tables:									
FS-PAC-3D-29-W	Sitting Height, Wood Divider	90"	48"	37"	185 Lbs.	26 Cu Ft	\$ 6,304		
FS-PAC-3D-29-A	Sitting Height, Acrylic Divider	90"	48"	37"	185 Lbs.	26 Cu Ft	\$ 7,549		
FS-PAC-3D-32-W	Wheelchair Height, Wood Divider	90"	48"	40"	185 Lbs.	26 Cu Ft	\$ 6,381		
FS-PAC-3D-32-A	Wheelchair Height, Acrylic Divider	90"	48"	40"	185 Lbs.	26 Cu Ft	\$ 7,618		
FS-PAC-3D-39-W	Standing Height, Wood Divider	90"	48"	47"	185 Lbs.	26 Cu Ft	\$ 6,453		
FS-PAC-3D-39-A	Standing Height, Acrylic Divider	90"	48"	47"	185 Lbs.	26 Cu Ft	\$ 7,697		

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	FS-R42	Round Reading Tables	42"	42"	29"	90 Lbs.	5 Cu Ft	\$ 4,120	<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1 1/4" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p>FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect. Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p>
	FS-R48		48"	48"	29"	100 Lbs.	6 Cu Ft	\$ 4,283	
	FS-4242	Square Reading Tables	42"	42"	29"	90 Lbs.	6 Cu Ft	\$ 3,568	
	FS-4848		48"	48"	29"	100 Lbs.	6 Cu Ft	\$ 3,700	
	FS-6036	60" Wide Rectangle Reading Tables	60"	36"	29"	110 Lbs.	7 Cu Ft	\$ 4,027	
	FS-6048		60"	48"	29"	135 Lbs.	9 Cu Ft	\$ 4,183	
	FS-7236	72" Wide Rectangle Reading Tables	72"	36"	29"	125 Lbs.	8 Cu Ft	\$ 4,168	
	FS-7248		72"	48"	29"	160 Lbs.	10 Cu Ft	\$ 4,377	
	FS-8436	84" Wide Rectangle Reading Tables	84"	36"	29"	142 Lbs.	8 Cu Ft	\$ 4,423	
	FS-8448		84"	48"	29"	180 Lbs.	10 Cu Ft	\$ 4,633	
FS-9636	96" Wide Rectangle Reading Tables	96"	36"	29"	140 Lbs.	10 Cu Ft	\$ 4,594		
FS-9648		96"	48"	29"	200 Lbs.	12 Cu Ft	\$ 4,820		