| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|-------------|---|---|------------|------------|------------|--------|--------|----------------------|---|
| | FL-CS-3630-KN-2SQ FL-CS-3630-KN-2SQ-AD | COMPUTER STATIONS, Knife Edge with Dividers 1-Place Starter Adder | 36" 36" | 30" 30" | 29" 29" | | | \$ 3,251 \$ 2,990 | Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet. |
| | | | | | | | | | Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. |
| | | | | | | | | | Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. |
| | 7 | | | | | | | | Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem. |
| | FL-CS-3630-KN-2SQ-2P | COMPUTER STATIONS, Knife Edge with Dividers 2-Place | 72" | 30" | 29" | | | \$ 6,241 | |
| | | | | | | | | | Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. |
| | | | | | | | | | NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. |
| 1 11 1 11 1 | | | | | | | | | Electrical and accessory options are available for purchase, see page 168-173 for details. |
| | FL-CS-3630-KN-2SQ-3P | COMPUTER STATIONS, Knife Edge with Dividers 3-Place | 108" | 30" | 29" | | | \$ 9,232 | |

| Krife Edge with Divides PLCSD73040 250 Stude 72° 30° 29° R2SD73040 250 Adder 72° 30° 29° R2SD73040 250 Adder 72° 30° 29° RSD73040 250 Adder 72° 30° 29° RXFE Cdge 8.21/4° wide x 10.20° table flux minute sheet on to table place and the fact that the fa | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|--|-----------------|---|-------|-------|--------|--------|--------|---------------|---|
| 45 miter chamfer with 1/8* radius comes. Constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of stee legs and a top horizontal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal stretcher, constructed of 2* x.2* rubular 16 gauge stee metal is epoxy powder coated. Level of two sets of two se | | Knife Edge with Dividers 2-Place -2SO Starter | | | | | | | |
| COMPUTER STATIONS, Knife Edge with Dividers FLCSID-7230kN2SO4P 4-Place 144° 30° 29° \$ 8,035 Clean with a non-abrasive cleanser. Do not use powde cleaning solutions as they may scratch the surface. NOTE: For all Fluid Workstations the list price includes Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. Electrical and accessory options are available for purch see page 168-173 for details. | | | | | | | | | Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x |
| cleaning solutions as they may scratch the surface. NOTE: For all Fluid Workstations the list price includes Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. Electrical and accessory options are available for purch see page 168-173 for details. | | Knife Edge with Dividers | 144" | 30" | 29" | | | \$ 8,035 | |
| FL-CS-D-7230-KN-2SQ-6P 6-Place 216" 30" 29" \$11,885 | | COMPUTER STATIONS, Knife Edge with Dividers | 21/" | 20" | 2.0" | | | Ĉ 11 ООБ | cleaning solutions as they may scratch the surface. NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. Electrical and accessory options are available for purchase, |

| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|---------------------------------------|---|--|------------|------------|------------|--------|--------|----------------------|--|
| | FL-CS-2D-3660-KN-2SQ FL-CS-2D-3660-KN-2SQ-AD | COMPUTER STATIONS, Knife Edge with Dividers 2-Place (Back to Back) Starter Adder | 36" 36" | 60" 60" | 29" 29" | | | \$ 3,914 \$ 3,602 | Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet. |
| | | | | | | | | | Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. |
| 1111 1111 | | | | | | | | | Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem. |
| | FL-CS-2D-3660-KN-2SQ-4P | COMPUTER STATIONS, Knife Edge with Dividers 4-Place (Back to Back) | 72" | 60" | 29" | | | \$ 4,270 | |
| | | | | | | | | | Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. |
| | | | | | | | | | NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | Electrical and accessory options are available for purchase, see page 168-173 for details. |
| | | COMPUTER STATIONS, Knife Edge with Dividers 6-Place (Back to Back) | 108" | 60" | 29" | | | \$ 7,872 | |

| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|---|---|--|------------|------------|------------|--------|--------|----------------------|---|
| 111111111111111111111111111111111111111 | | COMPUTER STATIONS, Knife Edge with Dividers | | | | | | | Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet. |
| | FL-CS-4D-7260-KN-2SQ FL-CS-4D-7260-KN-2SQ-AD | 4-Place (Back to Back) Starter | 72" 72" | 60" 60" | 29" 29" | | | \$ 5,185 \$ 4,769 | |
| 1 1 1 1 1 | 7 | | | | | | | | Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners. |
| | | | | | | | | | Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated. |
| | 11 1 1 1 | | | | | | | | Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem. |
| | FL-CS-4D-7260-KN-2SQ-8P | COMPUTER STATIONS, Knife Edge with Dividers 8-Place (Back to Back) | 144" | 60" | 29" | | | \$ 9,954 | |
| | | | | | | | | | Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface. |
| | | | | | | | | | NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management. |
| | 10, 1-11, 1-1 | COMPUTER STATIONS, | | | | | | | Electrical and accessory options are available for purchase, see page 168-173 for details. |
| | FL-CS-4D-7260-KN-2SQ-12F | Knife Edge with Dividers 2 12-Place (Back to Back) | 216" | 60" | 29" | | | \$ 14,723 | |